

import

Command Reference

Table of contents

1 Description.....	2
2 Usage.....	2

1. Description

Imports the schema

concrete import implementation of the schema import.

2. Usage

```
ctl -t RdbSchema -o <objectname> -c import [-dmp_file
<${entity.attribute.rdbSchemaType}-${opts.buildstamp}.dmp>]
[-failonwarnings <>] [-from_user <>] [-instance
<${Rdb.entity.attribute.rdbInstanceName}>] [-password
<${entity.attribute.rdbSchemaPassword}>] [-rdb_home <>]
[-schema <${entity.attribute.rdbSchemaName}>] [-username
<${entity.attribute.rdbSchemaUserName}>]
```

2.1. Options

Option	Description	Type	Default
dmp_file	<i>dump file to import</i>	string	`\${entity.attribute.rdbSchemaTy
failonwarnings	<i>if arg true, fail if there are import warnings</i>	string	
from_user	<i>from user</i>	string	
instance	<p><i>Database server instance name</i></p> <p>Identifies the database instance name, by default this instance name is derived from the referring database server object.</p>	string	`\${Rdb.entity.attribute.rdbInst
password	<p><i>Schema user's password</i></p> <p>password to access database schema, defaults to the rdbSchemaPassword attribute.</p>	string	`\${entity.attribute.rdbSchemaPa
rdb_home	<i>path to database install</i>	string	

import

schema	<i>Database schema name</i> name of the database schema, defaults to the <code>rdbSchemaName</code> attribute.	string	<code> \${entity.attribute.rdbSchemaNa</code>
username	<i>Schema user name</i> username to access database schema, defaults to the <code>rdbSchemaUserName</code> attribute.	string	<code> \${entity.attribute.rdbSchemaUs</code>