

AtgJBossLocalConfig

A JBoss Environmental Configuration Zip Package

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Child Dependencies.....	2
3.2 Allowed Parent Dependencies.....	2
3.3 Allowed Property Values.....	2
4 Attributes.....	3
5 Commands.....	3
5.1 extract.....	3

1. Overview

AtgJBossLocalConfig: A JBoss Environmental Configuration Zip Package

JBoss Configuration Package

This is an abstract package which requires concrete subtypes

2. Design

Super Type
zip

Role	Concrete. (Objects can be created.)
Instance Names	Unique
Notification	false
Template Directory	<code>\${modules.dir}/AtgJBossLocalConfig/templates</code>
Data View	Children, proximity: 1
Logger Name	AtgJBossLocalConfig

3. Constraints

3.1. Allowed Child Dependencies

- Package

3.2. Allowed Parent Dependencies

- JBoss

3.3. Allowed Property Values

Property	Allowed Values	Default	Enforced	Description
package-install-root	• <code>\${entity.in</code>	• <code>\${entity.in</code>	false	Package Installation Root relative to the jboss server instance
package-repo-url	• <code>\${framework</code>	• <code>\${framework</code>	false	URL location of the

				downloadable package distribution.
package-filetype	• zip	• zip	false	
package-arch	• noarch	• noarch	false	

4. Attributes

5. Commands

Note:

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

5.1. extract

extracts the distribution

extracts the package into the root of the jboss server instance

Usage

```
extract [-filename <>] [-installroot <>]
```

Options

Option	Description
filename	<i>filename of the distribution</i> filename representing the package distribution
installroot	<i>destination directory</i> installation root of the package