

AtgJBossServerConfig

A JBoss Environmental Configuration Zip Package

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Child Dependencies.....	2
3.2 Allowed Parent Dependencies.....	2
3.3 Allowed Property Values.....	2
4 Attributes.....	3
4.1 Exported Attributes.....	3
5 Commands.....	3
5.1 extract.....	3

1. Overview

AtgJBossServerConfig: A JBoss Environmental Configuration Zip Package

JBoss Server Configuration Package

2. Design

Super Type
zip

Role	Concrete. (Objects can be created.)
Instance Names	Unique
Notification	false
Template Directory	\${modules.dir}/AtgJBossServerConfig/templates
Data View	Children, proximity: 1
Logger Name	AtgJBossServerConfig

3. Constraints

3.1. Allowed Child Dependencies

- Package

3.2. Allowed Parent Dependencies

- [AtgJBossServer](#)

3.3. Allowed Property Values

Property	Allowed Values	Default	Enforced	Description
package-install-root	• \${entity.at	• \${entity.at	false	Package Installation Root relative to the JBOSS_HOME/server directory
package-repo-url	• \${framework	• \${framework	false	URL location of the downloadable package

				distribution.
package-filetype	• zip	• zip	false	
package-arch	• noarch	• noarch	false	

4. Attributes

4.1. Exported Attributes

Name	Property
jboss_server_config	package-base

5. Commands

Note:

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

5.1. extract

extracts the distribution

extracts the package into the \$JBOSS_HOME/server/<jboss_server_config> directory

Usage

```
extract [-filename <>] [-installroot <>]
```

Options

Option	Description
filename	<i>filename of the distribution</i> filename representing the package distribution
installroot	<i>destination directory</i> installation root of the package