

AtgMerchandising

ATG Merchandising for the ATG Development Platform

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Child Dependencies.....	2
3.2 Allowed Parent Dependencies.....	2
3.3 Allowed Property Values.....	2
4 Attributes.....	3
5 Commands.....	3
5.1 extract.....	3

1. Overview

AtgMerchandising: ATG Merchandising for the ATG Development Platform

Merchandising Package which is self extracting and installed on top of the ATG Platform Installer Package

2. Design

Super Type
bin

Role	Concrete. (Objects can be created.)
Instance Names	Unique
Notification	false
Template Directory	<code>#{modules.dir}/AtgMerchandising/templates</code>
Data View	Children, proximity: 1
Logger Name	AtgMerchandising

3. Constraints

3.1. Allowed Child Dependencies

- Package

3.2. Allowed Parent Dependencies

- Assembly

3.3. Allowed Property Values

Property	Allowed Values	Default	Enforced	Description
package-install-ran	• 120	• 120	false	Package installation rank
package-install-roo	• \${entity.at}	• \${entity.at}	false	Package installation root
package-repo-url	• \${framework}	• \${framework}	false	AtgMerchandising

	• \${framework}	• \${framework}		URL location of the installed distribution	/bins/FILNAME
package-filetype	• bin	• bin	false	package file type (self extracting)	
package-arch	• unix	• unix	false	unix based package	

4. Attributes

5. Commands

Note:

Commandline options displayed in square brackets "[" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

5.1. extract

extracts the distribution

extracts package within the installation root using silent installation method

Usage

```
extract [-filename <>] [-installroot <>]
```

Options

Option	Description
filename	<i>filename of the distribution</i> package distribution
installroot	<i>destination directory</i> package installation root