

ServiceMediator

Mediates actions across multiple services

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Child Dependencies.....	2
3.2 Allowed Parent Dependencies.....	2
4 Commands.....	2
4.1 Configure.....	2
4.2 Stop.....	3
4.3 Status.....	3
4.4 Start.....	3

1. Overview

ServiceMediator: *Mediates actions across multiple services*

2. Design

Super Type Mediator

Role	Concrete. (Objects can be created.)
Instance Names	Unique
Notification	false
Template Directory	
Data View	Children, proximity: 1
Logger Name	

3. Constraints

3.1. Allowed Child Dependencies

- Deployment

3.2. Allowed Parent Dependencies

- Deployment
- Node

4. Commands

Note:

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

4.1. Configure

configures the services

Usage

Configure [-command <Configure>]

4.1.1. Workflow

1. dispatchCmd

Options

Option	Description
command	<i>command to dispatch</i>

4.2. Stop

stops the services

Usage

Stop [-command <Stop>] [-sortorder <descending>]

4.2.1. Workflow

1. dispatchCmd

Options

Option	Description
command	<i>command to dispatch</i>
sortorder	<i>sort order</i>

4.3. Status

Status the child services

Usage

Status [-command <Status>]

4.3.1. Workflow

1. dispatchCmd

Options

Option	Description
command	<i>command to dispatch</i>

4.4. Start

starts the services

Usage

Start [-command <Start>]

4.4.1. Workflow

1. dispatchCmd

Options

Option	Description
command	<i>command to dispatch</i>