

# PostgresRdbSchema

## A PostgreSQL database schema

### Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Child Dependencies.....	2
3.2 Allowed Parent Dependencies.....	2
4 Attributes.....	2
4.1 Defaults for Imported Attributes.....	2
5 Commands.....	3

## 1. Overview

**PostgresRdbSchema**: A PostgreSQL database schema

## 2. Design

### Super Type

[RdbSchema](#)

Role	<b>Concrete.</b> (Objects can be created.)
Instance Names	<b>Unique</b>
Notification	<b>false</b>
Template Directory	
Data View	Children, proximity: <b>1</b>
Logger Name	

## 3. Constraints

### 3.1. Allowed Child Dependencies

- RdbDataSourceName1
- RdbInstallRoot1
- RdbSchemaName1
- RdbSchemaPassword1
- RdbSchemaType1
- RdbSchemaUserName1

1: These types have a *Singleton* constraint. Only one instance may be added as a resource.

### 3.2. Allowed Parent Dependencies

- Node
- [PostgresRdb](#)

## 4. Attributes

### 4.1. Defaults for Imported Attributes

Name	Default
------	---------

rdbDataSourceName	DefaultDS
rdbMaxPoolSize	20
rdbMinPoolSize	5
rdbSchemaPassword	
rdbSchemaUserName	sa

## 5. Commands

**Note:**

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.