

WindowsService

Automate Windows Service Control

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Child Dependencies.....	2
3.2 Allowed Parent Dependencies.....	2
4 Attributes.....	2
4.1 Exported Attributes.....	2
5 Commands.....	2
5.1 assertServiceIsDown.....	3
5.2 assertServiceIsUp.....	3
5.3 startService.....	3
5.4 stopService.....	3

1. Overview

WindowsService: *Automate Windows Service Control*

2. Design

Super Type Service

Role	Concrete. (Objects can be created.)
Instance Names	Unique
Notification	false
Template Directory	
Data View	Children, proximity: 1
Logger Name	

3. Constraints

3.1. Allowed Child Dependencies

- DeploymentSetting
- Package

3.2. Allowed Parent Dependencies

- Node
- Site

4. Attributes

4.1. Exported Attributes

Name	Property
basedir	deployment-basedir
install-root	deployment-install-root

5. Commands

Note:

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

5.1. assertServiceIsDown

Check whether the specified Windows service is down

Usage

```
assertServiceIsDown
```

5.2. assertServiceIsUp

Check whether the specified Windows service is up

Usage

```
assertServiceIsUp
```

5.3. startService

Start the specified Windows service

Usage

```
startService
```

5.4. stopService

Stop the specified Windows service

Usage

```
stopService
```