

# runBuildScript

## Command Reference

### Table of contents

|                    |   |
|--------------------|---|
| 1 Description..... | 2 |
| 2 Usage.....       | 2 |

## 1. Description

*runs the build script*

Execute the maven pom (such as pom.xml) with defined parameters

## 2. Usage

```
ctl -t MavenBuilder -o <objectname> -c runBuildScript
[-basedir <>] [-buildstamp <>] [-javahome <>] [-mavenhome <>]
[-mavenopts <>] -packageBuildtimePattern <> [-path <>]
[-target <>]
```

### 2.1. Options

| Option             | Description                                                                                                                                        | Type   | Default                                      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------|
| basedir            | <i>directory where build resources reside</i>                                                                                                      | string |                                              |
| buildstamp         | <i>build identifier</i><br>defaults to the buildstamp attribute which can be dynamically determined at build time if not provided and not required | string | <code>\${entity.attribute.buildstamp}</code> |
| javahome           | <i>Java installation to use for build</i>                                                                                                          | string |                                              |
| mavenhome          | <i>Maven installation to use for build</i>                                                                                                         | string | <code>\${entity.attribute.mavenHome}</code>  |
| mavenopts          | <i>Maven options to use for build</i>                                                                                                              | string | <code>\${entity.attribute.mavenOpts}</code>  |
| packageBuildtimePa | <i>Build Time date format</i>                                                                                                                      | string | <code>\${entity.attribute.packageBuil</code> |
| path               | <i>System path to use for build</i>                                                                                                                | string |                                              |
| target             | <i>build target to evaluate</i>                                                                                                                    | string |                                              |