

# assertPackagelsInstalled

## Command Reference

### Table of contents

1 Description.....	2
2 Usage.....	2

## 1. Description

*Confirm the package process is installed.*

The `assertPackageIsInstalled` command is a hook command overridden by subtypes providing a package specific check to determine if the package is installed.

## 2. Usage

```
ctl -t Package -o <objectname> -c assertPackageIsInstalled
[-basedir <>] [-depot <>] [-executable <>] [-installroot <>]
[-name <>] [-nodeps] [-nodir] [-nomodule] [-nopackageinstall]
[-noproperties] [-script <>] [-subdirs <>] [-type <>]
```

### 2.1. Options

Option	Description	Type	Default
<code>basedir</code>	<i>instance directory</i>	string	
<code>depot</code>	<i>project depot</i>	string	
<code>executable</code>	<i>executable to run</i>	string	<code>\${entity.attribute.package-isi}</code>
<code>installroot</code>	<i>package installroot</i>	string	<code>\${entity.package-install-root}</code>
<code>name</code>	<i>object name</i>	string	
<code>nodeps</code>	<i>do not install dependencies</i>	boolean	
<code>nodir</code>	<i>do not create directories</i>	boolean	
<code>nomodule</code>	<i>do not update module</i>	boolean	
<code>nopackageinstall</code>	<i>do not install package</i>	boolean	
<code>noproperties</code>	<i>do not update properties</i>	boolean	
<code>script</code>	<i>script to execute</i>	string	<code>\${entity.attribute.package-isi}</code>
<code>subdirs</code>	<i>directory list</i>	string	
<code>type</code>	<i>object type</i>	string	

*assertPackageIsInstalled*