

copy

Command Reference

Table of contents

1 Description.....	2
2 Usage.....	2
3 Examples.....	3

1. Description

Copy a resource

The davutil copy command supports several modes of operation.

1. Copy resource URI to a local file (ie, GET).
2. Copy local file to a resource URI (ie, PUT).
3. Copy a resource URI to a destination URI (ie DAV COPY).
4. Create a copy of a local file (ie., file copy).

This command includes two optional parameters, `-overwrite` and `-backup`, that are useful to control the preservation of an existing file that would be replaced by the copy operation.

static: This command can be run outside of an object context.

2. Usage

```
ctl -m davutil -c copy [-backup] -dest <> [-overwrite]
[-password <>] -src <> [-suffix <.backup>] [-username <>]
```

2.1. Options

Option	Description	Type	Default
<code>backup</code>	<i>if present make a backup if the dest file exists, is local, and -overwrite is specified</i>	boolean	
<code>dest</code>	<i>Destination file path or URL.</i> This can be a local file path (to copy to a local file), or a URL on the DAV server. This supports the <code>dav://</code> shortcut schema.	string	
<code>overwrite</code>	<i>if present overwrite existing file or resource</i>	boolean	
<code>password</code>	<i>DAV user name</i>	string	<code>\${entity.attribute.password}</code>
<code>src</code>	<i>Source file path or</i>	string	

copy

	URL. This can be a local file path (to copy from a local file), or a URL on the DAV server. This supports the <code>dav://</code> shortcut schema.		
suffix	<i>suffix of backup file</i>	string	.backup
username	<i>DAV user name</i>	string	<code>\${entity.attribute.username}</code>

3. Examples

Example 1: Copy a resource URI to a local file and backup existing copy:

```
ctl -m davutil -c copy -- \  
    -src dav://junk/fun \  
    -dest /tmp/fun/file1 -backup
```

Note: The src URI must refer to a resource and not a resource collection. If a collection is specified then an HTML file will be returned as a result that contains a human readable listing of the collection.

Example 2: Copy a local file to the destination URI in the WebDAV repository:

```
ctl -m davutil -c copy -- \  
    -src /tmp/fun/file1 \  
    -dest dav://junk/fun
```

Example 3: Copy source URI to the destination URI in the WebDAV repository:

```
ctl -m davutil -c copy -- \  
    -src dav://junk/fun \  
    -dest dav://junk/fun_copy
```