

# **export**

## **Command Reference**

### **Table of contents**

1 Description.....	2
2 Usage.....	2

## 1. Description

*Exports the schema*

exports the database schema as a versioned package subject to import into the controlltier package repository.

## 2. Usage

```
ctl -t RdbSchema -o <objectname> -c export -buildstamp <>
[-instance <${Rdb.entity.attribute.rdbInstance}>] [-password
<${entity.attribute.rdbSchemaPassword}>] [-rdb_home <>]
[-schema <${entity.attribute.rdbSchemaName}>] [-username
<${entity.attribute.rdbSchemaUserName}>]
```

### 2.1. Options

Option	Description	Type	Default
<b>buildstamp</b>	<i>build stamp</i>	string	
instance	<p><i>Database server instance name</i></p> <p>Identifies the database instance name, by default this instance name is derived from the referring database server object.</p>	string	`\${Rdb.entity.attribute.rdbInst
password	<p><i>Schema user's password</i></p> <p>password to access database schema, defaults to the <code>rdbSchemaPassword</code> attribute.</p>	string	`\${entity.attribute.rdbSchemaPa
rdb_home	<i>path to database install</i>	string	
schema	<p><i>Database schema name</i></p> <p>name of the database schema, defaults to the</p>	string	`\${entity.attribute.rdbSchemaNa

*export*

	rdbSchemaName attribute.		
username	<b>Schema user name</b> username to access database schema, defaults to the rdbSchemaUserName attribute.	string	<code> \${entity.attribute.rdbSchemaUs</code>