

# upSchema

## Command Reference

### Table of contents

1 Description.....	2
2 Usage.....	2

## 1. Description

*Checks schema is available in the designated instance*

Checks if the configured schema is available

## 2. Usage

```
ctl -t RdbSchema -o <objectname> -c upSchema [-instance
<${Rdb.entity.attribute.rdbInstance}>] [-password
<${entity.attribute.rdbSchemaPassword}>] [-schema
<${entity.attribute.rdbSchemaName}>] [-username
<${entity.attribute.rdbSchemaUserName}>]
```

### 2.1. Options

Option	Description	Type	Default
instance	<b>Database server instance name</b> Identifies the database instance name, by default this instance name is derived from the referring database server object.	string	<code>\${Rdb.entity.attribute.rdbInst</code>
password	<b>Schema user's password</b> password to access database schema, defaults to the rdbSchemaPassword attribute.	string	<code>\${entity.attribute.rdbSchemaPa</code>
schema	<b>Database schema name</b> name of the database schema, defaults to the rdbSchemaName attribute.	string	<code>\${entity.attribute.rdbSchemaNa</code>
username	<b>Schema user name</b> username to access	string	<code>\${entity.attribute.rdbSchemaUs</code>

*upSchema*

	database schema, defaults to the rdbSchemaUserName attribute.		
--	------------------------------------------------------------------------	--	--