

installPackage

Command Reference

Table of contents

1 Description.....	2
2 Usage.....	2

1. Description

Run the package installation cycle.

2. Usage

```
ctl -t Package -o <objectname> -c installPackage [-basedir <>]
[-depot <>] -filename <> [-filtersfile <>] -installroot <>
[-name <>] [-nodeps] [-nodir] [-nomodule] [-nopackageinstall]
[-noproperties] [-subdirs <>] [-type <>] -url <>
```

2.1. Workflow

1. [installDependencies](#)
2. [prepare](#)
3. [get](#)
4. [extract](#)
5. [finish](#)

2.2. Options

Option	Description	Type	Default
basedir	<i>instance directory</i>	string	
depot	<i>project depot</i>	string	
filename	<i>the filename</i>	string	<code>\${entity.package-filename}</code>
filtersfile	<i>filtersfile</i>	string	<code>\${entity.package-filtersfile}</code>
installroot	<i>the install root</i>	string	<code>\${entity.package-install-root}</code>
name	<i>object name</i>	string	
nodeps	<i>do not install dependencies</i>	boolean	
nodir	<i>do not create directories</i>	boolean	
nomodule	<i>do not update module</i>	boolean	
nopackageinstall	<i>do not install package</i>	boolean	
noproperties	<i>do not update properties</i>	boolean	

installPackage

subdirs	<i>directory list</i>	string	
type	<i>object type</i>	string	
url	<i>the repo url</i>	string	<code>\${entity.package-repo-url}</code>