

generateProject

Command Reference

Table of contents

| | |
|--------------------|---|
| 1 Description..... | 2 |
| 2 Usage..... | 2 |

1. Description

Generate a CruiseControl project definition for inclusion in `config.xml`

2. Usage

```
ctl -t RpmBuilder -o <objectname> -c generateProject
[-artifactname <>] [-artifacttype <>] [-basedir <>] -file <>
[-interval <>] [-mailhost <>] [-notificationlist <>] [-project
<${context.name}>] [-returnaddress <>]
```

2.1. Options

| Option | Description | Type | Default |
|------------------|---|--------|---|
| artifactname | <i>CruiseControl artifact name</i> | string | <code>\${entity.attribute.cruiseContr</code> |
| artifacttype | <i>CruiseControl artifact type</i> | string | <code>\${entity.attribute.cruiseContr</code> |
| basedir | <i>directory where build resources reside</i> | string | |
| file | <i>The project absolute path of the file to generate for inclusion by CruiseControl</i> | string | |
| interval | <i>Minimum duration between builds in seconds</i> | string | <code>\${entity.attribute.cruiseContr</code> |
| mailhost | <i>CruiseControl mail server address</i> | string | <code>\${entity.attribute.cruiseContr</code> |
| notificationlist | <i>Comma separated list of email addresses to be notified about the build</i> | string | <code>\${entity.attribute.notification</code> |
| project | <i>Name of the CruiseControl project to generate</i> | string | <code>\${context.name}</code> |
| returnaddress | <i>CruiseControl returned mail address</i> | string | <code>\${entity.attribute.cruiseContr</code> |

generateProject